

## Public Health Quality Aims Bibliography

### Population-centered

- Nestle, M., & Jacobson, M. F. (2000). Halting the obesity epidemic: A public health policy approach. *Public Health Reports*, 115, 12-24.
- Norris, S. L., Nichols, P. J., Caspersen, C. J., Glasgow, R. E., Engelgau, M. M., Jack Jr, L., et al. (2002). The effectiveness of disease and case management for people with diabetes: A systematic review. *American Journal of Preventive Medicine*, 22 (4S), 15-38.<sup>1</sup>
- Keller, L.O., Strohschein, S., Schaffer, M.A., Lia-Hoagberg, B. (2004). Population-based public health interventions: Practice-based and evidence-supported. Part I. *Public Health Nursing*, 21(5), 453-68
- Keller, L.O., Strohschein, S., Schaffer, M.A., Lia-Hoagberg, B. (2004) Population-based public health interventions: Innovations in practice, teaching, and management. Part II. *Public Health Nursing*, 21(5), 469-87.
- Gaziano, T.A., Galea, G., Reddy. (2007). Scaling up interventions for chronic disease prevention: the evidence. *Lancet*, 370, 1939-46.<sup>1</sup>
- Asaria, P., Chisholm, D., Mathers, C., Ezzati, M., Beaglehole, R., (2007) Chronic disease prevention: Health effects and financial costs of strategies to reduce salt intake and control tobacco use. *Lancet*, 370, 2044-5.<sup>1</sup>
- Lester, W. T., Ashburner, J. M., Grant, R. W., Chueh, H. C., Barry, M. J., & Atlas, S. J. (2009). Mammography FastTrack: An intervention to facilitate reminders for breast cancer screening across a heterogeneous multi-clinic primary care network. *Journal of the American Medical Informatics Association*, 16 (2), 187-195.<sup>1</sup>
- Institute of Medicine. (2010). *A population-based policy and systems change approach to prevent and control hypertension*. Washington, DC: National Academy Press.
- Pearson, T.A. (2011). Public policy approaches to the prevention of health disease and stroke. *Circulation*, 124, 2560-2571.

### Equitable

- Murray, C. J., Kulkarni, S., AB, & Ezzati, M. (2005). Eight Americas: New perspectives on U.S. health disparities. *American Journal of Preventive Medicine*, 4-10.

---

<sup>1</sup> Paper is associated with multiple public health quality aims

- Marmot, M., Friel, S., Bell, R., Houweling, T. A., & Taylor, S. (2008). Closing the gap in a generation: Health equity through action on the social determinants of health. *Lancet*, 1661-69.
- LaVeist, T. A., Gaskin, D. J., & Richard, P. (2009). *The economic burden of health inequalities in the United States*. Joint Center for Political and Economic Studies.
- Nerenz, D. R., Liu, Y.-w., Williams, K. L., Tunceli, K., & Zeng, H. (2011). A simulation model approach to analysis of the business case for eliminating health care disparities. *BMC Medical Research Methodology*, 11 (31).<sup>1</sup>
- *National Healthcare Disparities Report-2011*. (2012). U.S. Department of Health and Human Services, Agency for Healthcare Research and Quality.

### Health promoting

- Roccella, E. J., & Horan, M. J. (1988). The National high blood pressure education program: Measuring progress and assessing its impact. *Health Psychology*, 297-303.
- Secker-Walker, R. H., Worden, J. K., Holland, R. R., Flynn, B. S., & Detsky, A. S. (1997). A mass media programme to prevent smoking among adolescents: Costs and cost effectiveness. *Tobacco Control*, 207-212.<sup>1</sup>
- Nutbeam, D. (1998). Evaluating health promotion: Progress, problems and solutions. *Health Promotion International*, 27-44.
- Institute of Medicine. (2000). *Promoting health: Intervention strategies from social and behavioral research*. Washington, DC: National Academy Press.
- Sheiham, A., & Watt, R. G. (2000). The common risk factor approach: A rational basis for promoting oral health. *Community Dentistry and Oral Epidemiology*, 28, 399-406.
- *The World Health Report 2002: Reducing risks, promoting healthy life*. Geneva: World Health Organization.<sup>1</sup>
- Ricketts, S. A., Murray, E. K., & Schwalberg, R. (2005). Reducing low birthweight by resolving risks: Results from Colorado's Prenatal Plus Program. *American Journal of Public Health*, 95 (11), 1952-1957.<sup>1</sup>
- Navarro, A., Voetsch, K., Liburd, L., Bezold, C., & Rhea, M. (2006). *Recommendations for future efforts in community health promotion: Report of the national expert panel on community health promotion*. Centers for Disease Control and Prevention.
- Gaziano, T.A., Galea, G., Reddy. (2007). Scaling up interventions for chronic disease prevention: the evidence. *Lancet*, 370, 1939-46.<sup>1</sup>

- Asaria, P., Chisholm, D., Mathers, C., Ezzati, M., Beaglehole, R., (2007) Chronic disease prevention: Health effects and financial costs of strategies to reduce salt intake and control tobacco use. *Lancet*, 370,2044-5.<sup>1</sup>
- Goetzel, R. Z., Schechter, D., Ozminkowski, R. J., Stapleton, D. C., Lapin, P. J., McGinnis, J. M., et al. (2007). Can health promotion programs save Medicare money? *Clinical Interventions in Aging*, 2 (1), 117-122.<sup>1</sup>
- Homer, J., Hirsch, G., & Milstein, B. (2007). Chronic illness in a complex health economy: The perils and promises of downstream and upstream reforms. *System Dynamics Review*, 313-343.
- *Army health promotion, risk reduction and suicide prevention report*. (2010, July 28). Retrieved October 2011, from [www.army.mil](http://www.army.mil) The Official Homepage of the United States Army: <http://www.army.mil/article/42934/>
- Jansson, E. V., & Tillgren, P. E. (2010). Health promotion at local level: A case study of content, organization and development in four Swedish municipalities. *BMC Public Health*, 10.
- Jepson, R. G., Harris, F. M., Platt, S., & Tannahill, C. (2010). *The effectiveness of interventions to change six health behaviours: A review of reviews*.
- Coberley, C., Rula, E. Y., & Pope, J. E. (2011). Effectiveness of health and wellness initiatives for seniors. *Population Health Management*, 14 (Supplement 1), S45-S50.<sup>1</sup>
- Milstein, B., Homer, J., Briss, P., Burton, D., & Pechacek, T. (2011). Why behavioral and environmental interventions are needed to improve health at lower cost. *Health Affairs*, 30 (5), 823-832.<sup>1</sup>
- Thorpe, K. E., & Yang, Z. (2011). Enrolling people with prediabetes ages 60-64 in a proven weight loss program could save Medicare \$7 billion or more. *Health Affairs*, 30 (9), 1673-1679.<sup>1</sup>
- Xiaohui, Z., Zhang, P., Gregg, E. W., Barker, L., Hoerger, T. J., Pearson-Clarke, T., et al. (2012). A Nationwide community-based lifestyle program could delay or prevent Type 2 diabetes cases and save \$5.7 billion in 25 years. *Health Affairs*, 31 (1), 50-60.<sup>1</sup>

### Proactive

- Anderson, M. D., Duffy, K., Hallett, C. D., & Marcus, A. C. (1992). Cancer prevention counseling on telephone helplines. *Public Health Reports*, 107 (3), 278-282.
- Prochaska, J. O. (1996). A stage paradigm for integrating clinical and public health approaches to smoking cessation. *Addictive Behaviors*, 21 (6), 721-732.<sup>1</sup>

- McBride, C. M., & Rimer, B. K. (1999). Using the telephone to improve health behavior and health service delivery. *Patient Education and Counseling*, 37 (1), 3-18.
- Wagner, E. H., Davis, C., Schaefer, J., Korff, V., Michael, & Austin, B. (1999). A survey of leading chronic disease management programs: Are they consistent with the literature? *Managed Care Quarterly*, 56-66.<sup>1</sup>
- Norris, S. L., Nichols, P. J., Caspersen, C. J., Glasgow, R. E., Engelgau, M. M., Jack Jr, L., et al. (2002). The effectiveness of disease and case management for people with diabetes: A systematic review. *American Journal of Preventive Medicine*, 22 (4S), 15-38.<sup>1</sup>
- Barr, V. J., Robinson, S., Marin-Link, B., Underhill, L., Dotts, A., Ravensdale, D., et al. (2003). The expanded Chronic Care Model: An integration of concepts and strategies from population health promotion and the Chronic Care Model. *Hospital Quarterly*, 7 (1), 73-82.
- Goetzel, R. Z., Schechter, D., Ozminkowski, R. J., Stapleton, D. C., Lapin, P. J., McGinnis, J. M., et al. (2007). Can health promotion programs save Medicare money? *Clinical Interventions in Aging*, 2 (1), 117-122.<sup>1</sup>
- de Walle, H. E., & de Jong-van den Berg, L. T. (2008). Ten years after the Dutch public health campaign on folic acid: The continuing challenge. *European Journal of Clinical Pharmacology*, 64 (5), 539-543.
- Kanter, M., Martinez, O., Lindsay, G., Andrews, K., & Denver, C. (2010). Proactive office encounter: A systematic approach to preventive and chronic care at every patient encounter. *The Permanente Journal*, 38-43.
- Schuck, K., Otten, R., Kleinhan, M., Bricker, J.B., Engles, R. CME. (2011). Effectiveness of proactive telephone counseling for smoking cessation in parents: Study protocol of a randomized controlled trial. *BMC Public Health*, 11:732
- Eydelman, M. B., Tarver, M. E., Calogero, D., Buchen, S. Y., & Alexander, K. Y. (2012). The Food and Drug Administration's proactive toxic anterior segment syndrome Program. *Ophthalmology*, 119 (7), 1297-1302.
- Fu, S. S., van Ryn, M., Sherman, S. E., Burgess, D. J., Noorbaloochi, S., Clothier, B., et al. (2012). Population-based tobacco treatment: Study design of a randomized controlled trial. *BMC Public Health*, 1-9.
- Neuman, Y., Cohen, Y., Assaf, D., & Kedma, G. (2012). Proactive screening for depression through metaphorical and automatic text analysis. *Artificial Intelligence in Medicine*, 56 (1), 19-25.

## Risk-reducing

- Kannel, W. B., Dawber, T. R., Kagan, A., Revotskie, N., & Stokes, J. (1961). Factors of risk in the development of coronary heart disease: Six-year follow-up experience. *Annals of Internal Medicine*, 55 (1), 33-50.
- Goetzel, R. Z., Anderson, D. R., Whitmer, W. R., Ozminkowski, R. J., Dunn, R. L., & Wasserman, J. (1998). The relationship between modifiable health risks and health care expenditures: An analysis of the multi-employer HERO health risk and cost database. *Journal of Occupational and Environmental Medicine*, 40 (10), 843-854.
- Smith, G. S. (2001). Public health approaches to occupational injury prevention: Do they work? *Injury Prevention*, 7 (Supplement 1), i3-10.
- Ezzati, M., Lopez, A. D., Rodgers, A., Hoorn, S. V., & Murray, C. J. (2002). Selected major risk factors and global and regional burden of disease. *The Lancet*, 360, 1347-1360.
- *The World Health Report 2002: Reducing risks, promoting healthy life*. Geneva: World Health Organization.<sup>1</sup>
- Fontanarosa, P. B., Rennie, D., & DeAngelis, C. D. (2004). Postmarketing surveillance: Lack of vigilance, lack of trust. *The Journal of the American Medical Association*, 2647-2650.
- Blum, R. W., & Ireland, M. (2004). Reducing risk, increasing protective factors: Findings from the Caribbean Youth Health Survey. *Journal of Adolescent Health*, 35 (6), 493-500.
- Daviglus, M.L., Liu, K., Pirzada, A., Yan, L.L., Garside, D.B., Greenland, P., Manheim, L.M., Dyer, A.R., Wang, R., Lubitz, J., Manning, W.G., Fries, J.F., Stamler, J. (2005). Cardiovascular risk profile earlier in life and Medicare costs in the last year of life. *Archives of Internal Medicine (JAMA Internal Medicine)*. 165(9), 1028-1034.
- Ricketts, S. A., Murray, E. K., & Schwalberg, R. (2005). Reducing low birthweight by resolving risks: Results from Colorado's Prenatal Plus Program. *American Journal of Public Health*, 95 (11), 1952-1957.<sup>1</sup>
- Lopez, A. D., Mathers, C. D., Ezzati, M., Jamison, D. T., & Murray, C. J. (2006). Global and regional burden of disease and risk factors, 2001: Systematic analysis of population health data. *Lancet*, 367 (9524), 1747-1757.
- Homer, J., Hirsch, G., & Milstein, B. (2007). Chronic illness in a complex health economy: The perils and promises of downstream and upstream reforms. *System Dynamics Review*, 313-343.
- Johnson, W., Diaz, R., Flanders, W., Goodman, M., A, H., D, H., et al. (2008). Behavioral interventions to reduce risk for sexual transmission of HIV among men who have sex with men. *Cochrane Database of Systematic Reviews*.

- Danaei, G., Ding, E. L., Mozaffarian, D., Taylor, B., Rehm, J., Murray, C. J., et al. (2009). The preventable causes of death in the United States: Comparative risk assessment of dietary, lifestyle, and metabolic risk factors. *PLoS Medicine*, 6 (4), 1-23.
- Goldman, D. P., Zheng, Y., Girosi, F., Michaud, P.-C., Olshansky, J., Cutler, D., et al. (2009). The benefits of risk factor prevention in Americans aged 51 and older. *American Journal of Public Health*, 99 (11), 2096-2101.<sup>1</sup>
- *Army health promotion, risk reduction and suicide prevention report*. (2010, July 28). Retrieved October 2011, from [www.army.mil](http://www.army.mil) The Official Homepage of the United States Army: <http://www.army.mil/article/42934/>
- Chiuve, S. E., Fung, T. T., Rexrode, K. M., Spiegelman, D., Manson, J. E., Stampfer, M. J., et al. (2011). Adherence to a low-risk, healthy lifestyle and risk of sudden cardiac death among women. *The Journal of the American Medical Association*, 306 (1), 62-69.
- Rula, E. Y., Pope, J. E., & Hoffman, J. C. (2011). Potential Medicare savings through prevention and risk reduction. *Population Health Management*, 14 (Supplement 1), S35-S44.<sup>1</sup>
- Daviglius, M. L., Talavera, G. A., Aviles-Santa, M. L., Allison, M., Cai, J., Criqui, M. H., et al. (2012). Prevalence of major cardiovascular risk factors and cardiovascular diseases among Hispanic/Latino individuals of diverse backgrounds in the United States. *The Journal of the American Medical Association*, 308 (17), 1775-1784.
- Lauer, M. S. (2012). Time for a creative transformation of epidemiology in the United States. *The Journal of the American Medical Association*, 308 (17), 1804-1805.
- Safford, M. M., Brown, T. M., Muntner, P. M., Durant, R. W., Glasser, S., & al, e. (2012). Association of race and sex with risk of incident acute coronary heart disease events. *The Journal of the American Medical Association*, 308 (17), 1768-1774.
- Center for Drug Evaluation and Research. (2012). *Risk evaluation and mitigation strategy assessments: Social science methodologies to assess goals related to knowledge*. Food and Drug Administration.

## Transparent

- Kriebel, D., Tickner, J., (2001). Reenergizing public health through precaution. *American Journal of Public Health*. 91(9), 1351-1361
- Quinn, S. C. (2004). Protecting human subjects: The role of community advisory boards. *Am Journal of Public Health*, 94(6), 918-922.
- Dannenberg A. L., Bhatia, R., Cole, B.L., Dora, C., Fielding, J.E., Kraft, K., McClymont-Peace, D., Mindell, J., Onyekere, C., Roberts, J.A., Ross, C.L., Rutt, C.D., Scott-Samuel, A., Tilson, H.H.

(2006). Growing a field of health impact assessment in the United States: An agenda for research and practice. *American Journal of Public Health*, 96(2), 262-270.

- Honoré, P. A., Clarke, R. L., Mead, D. M., & Menditto, S. M. (2007). Creating financial transparency in public health: Examining best practices of system partners. *Journal of Public Health Management and Practice*, 13 (2), 121-129.
- Glik, D. C. (2007). Risk communication for public health emergencies. *Annual Review of Public Health*, 28, 33-54.
- Fung, A., Graham, M., Weil, D. (2007) Full disclosure: The perils and promise of transparency. Cambridge University Press.
- Colmers, J. M. (2007). *Public Reporting and Transparency*. The Commonwealth Fund.
- O'Malley, P., Rainford, J., & Thompson, A. (2009). Transparency during public health emergencies: From rhetoric to reality. *Bulletin of the World Health Organization*, 614-618.
- Studnicki, J., Fisher, J. W., Eichelberger, C., Bridger, C., Angelon-Gaetz, K., & Nelson, D. (2011). Beyond frameworks, websites and report cards. *Journal of Healthcare Information Management*, 25 (3), 69-73.<sup>1</sup>

## Vigilant

- Berkelman, R. L., Bryan, R. T., Osterholm, M. T., LeDuc, J. W., & Hughes, J. M. (1994). Infectious disease surveillance: A crumbling foundation. *Science*, 264, 368-370.
- Panel, N. C. (1995). Infectious disease testing for blood transfusions. *The Journal of the American Medical Association*, 1374-1379.
- Todd, E. C. (1995). Worldwide surveillance of foodborne disease: The need to improve. *Journal of Food Protection*, 59 (1), 82-92.
- Berkelman, R. L., Pinner, R. W., & Hughes, J. M. (1996). Addressing emerging microbial threats in the United States. *The Journal of the American Medical Association*, 275 (4), 315-317.
- Preventing emerging infectious diseases: A strategy for the 21st century. (1998). *Morbidity and Mortality Weekly Report*, 47 (RR-15).
- Patz, J. A., McGeehin, M. A., Bernard, S. M., Ebi, K. L., Epstein, P. R., Grambsch, A., et al. (2000). The potential health impacts of climate variability and change for the United States: Executive summary of the report of the health sector of the U.S. national assessment. *Environmental Health Perspectives*, 108 (4), 367-376.

- German, R. R., Lee, L. M., Horan, J. M., Milstein, R. L., & Pertowski, C. A. (2001). Updated guidelines for evaluating public health surveillance systems: Recommendations from the guidelines working group. *Morbidity and Mortality Weekly Report*, 1-35.
- Joseph, C. (2002). New outbreak of legionnaires' disease in the United Kingdom: A wake up call for continued vigilance. *BMJ*, 325, 347-8.
- Lober, W. B., Karras, T. B., Wagner, M. M., Overhage, J. M., Davidson, A. J., Fraser, H., et al. (2002). Roundtable on bioterrorism detection: Information system-based surveillance. *Journal of the American Medical Informatics Association*, 9 (2), 105-115.
- Popovich, M. L., Henderson, J. M., & Stinn, J. (2002). Information technology in the age of emergency public health response. *IEEE Engineering in Medicine and Biology*, 48-55.
- Pavlin, J. A. (2003). Investigation of disease outbreaks detected by "Syndromic" surveillance systems. *Journal of Urban Health: Bulletin of the New York Academy of Medicine*, 82 (2, Supplement 1), i107-i114.
- Burkom, H. S. (2003). Development, adaptation, and assessment of alerting algorithms for biosurveillance. *Johns Hopkins APL Technical Digest*, 335-342.
- Riley, S., Fraser, C., Donnelly, C. A., Ghani, A. C., Abu-Raddad, L. J., Hedley, A. J., et al. (2003). Transmission dynamics of the etiological agent of SARS in Hong Kong: Impact of public health interventions. *Science*, 1961-1966.
- Fontanarosa, P. B., Rennie, D., & DeAngelis, C. D. (2004). Postmarketing Surveillance—Lack of vigilance, lack of trust. *The Journal of the American Medical Association*, 2647-2650.
- Framework for evaluating public health surveillance systems for early detection of outbreaks. (2004). *Morbidity and Mortality Weekly Report*, 53 (RR-5), 1-14.
- Heffernan, R., Mostashari, F., Das, D., Karpati, A., Kuldorff, M., & Weiss, D. (2004). Syndromic surveillance in public health practice, New York City. *Emerging Infectious Diseases*, 858-864.
- Henning, K. J. (2004). Overview of syndromic surveillance: What is syndromic surveillance? *Morbidity and Mortality Weekly Report*, 5-11.
- Kobau, R., DiLorio, C. A., Price, P. H., Thurman, D. J., Martin, L. M., Ridings, D. L., et al. (2004). Prevalence of epilepsy and health status of adults with epilepsy in Georgia and Tennessee: Behavioral Risk Factor Surveillance System, 2002. *Epilepsy & Behavior*, 358-366.
- Schrag, S. M., Brooks, J. T., Beneden, C. V., Parashar, U. D., Griffin, P. M., Anderson, L. J., et al. (2004). SARS surveillance during emergency public health response, United States, March–July 2003. *Emerging Infectious Diseases*, 10 (2), 185-194.



- Nagykaldis, Z., Mold, J. W., Bradley, K. K., & Bos, J. E. (2006). Bridging the gap between public and private healthcare: Influenza-like illness surveillance in a practice-based research network. *Journal of Public Health Management and Practice*, 12 (4), 356-364.
- *The New York City A1C Registry: Supporting providers & patients in diabetes care.* (2006). Retrieved 2012, from NYC.gov: <http://www.nyc.gov/html/doh/downloads/pdf/diabetes/diabetes-a1c-reg-serv.pdf>
- Blaya, J. A., Shin, S. S., Yagui, M. J., Yale, G., Suarez, C. Z., Asencios, L. L., et al. (2007). A web-based laboratory information system to improve quality of care of tuberculosis patients in Peru: Functional requirements, implementation and usage statistics. *BMC Medical Informatics and Decision Making*, 7 (33), 1-11.
- Scallan, E. (2007). Activities, achievements, and lessons learned during the first 10 years of the Foodborne Diseases Active Surveillance Network: 1996–2005. *Clinical Infectious Diseases*, 44, 718-725.
- Butler, S. F., Budman, S. M., Licari, A., Cassidy, T. A., Lioy, K., Dickinson, J., et al. (2008). National addictions vigilance intervention and prevention program (NAVIPPRO): A real-time, product-specific, public health surveillance system for monitoring prescription drug abuse. *Pharmacoepidemiology and Drug Safety*, 17, 1142-1154.
- Lester, W. T., Ashburner, J. M., Grant, R. W., Chueh, H. C., Barry, M. J., & Atlas, S. J. (2009). Mammography fast track: An intervention to facilitate reminders for breast cancer screening across a heterogeneous multi-clinic primary care network. *Journal of the American Medical Informatics Association*, 16 (2), 187-195.<sup>1</sup>
- May, L., Chretien, J.-P., & Pavlin, J. A. (2009). Beyond traditional surveillance: Applying syndromic surveillance to developing settings: Opportunities and challenges. *BMC Public Health*, 9 (242), 1-11.
- Navaneethan, S. D., Jolly, S. E., Schold, J. D., Arrigain, S., Saupe, W. S., Sharp, J., et al. (2011). Development and validation of an electronic health record–based chronic kidney disease registry. *Clinical Journal of the American Society of Nephrology*, 6, 40-49.
- *New York City A1C Registry: Improving diabetes care in New York City.* (2011). Retrieved 2012, from New York City Department of Health and Mental Hygiene: <http://www.nyc.gov/html/doh/downloads/pdf/diabetes/diabetes-a1c-reg.pdf>
- Studnicki, J., Fisher, J. W., Eichelberger, C., Bridger, C., Angelon-Gaetz, K., & Nelson, D. (2011). Beyond frameworks, websites and report cards. *Journal of Healthcare Information Management*, 25 (3), 69-73.<sup>1</sup>

- *Diabetes prevention and control: The New York City A1C Registry*. (n.d.). Retrieved 2012, from New York City Department of Health and Mental Hygiene:  
<http://www.nyc.gov/html/doh/html/diabetes/diabetes-nycar.shtml>

## Effective

- Prochaska, J. O. (1996). A stage paradigm for integrating clinical and public health approaches to smoking cessation. *Addictive Behaviors*, 21 (6), 721-732.<sup>1</sup>
- Secker-Walker, R. H., Worden, J. K., Holland, R. R., Flynn, B. S., & Detsky, A. S. (1997). A mass media programme to prevent smoking among adolescents: Costs and cost effectiveness. *Tobacco Control*, 207-212.<sup>1</sup>
- Wagner, E. H., Davis, C., Schaefer, J., Korff, V., Michael, & Austin, B. (1999). A survey of leading chronic disease management programs: Are they consistent with the literature? *Managed Care Quarterly*, 56-66.<sup>1</sup>
- Norris, S. L., Nichols, P. J., Caspersen, C. J., Glasgow, R. E., Engelgau, M. M., Jack Jr, L., et al. (2002). The effectiveness of disease and case management for people with diabetes: A systematic review. *American Journal of Preventive Medicine*, 22 (4S), 15-38.<sup>1</sup>
- Maciosek, M. V., Solberg, L. I., Coffield, A. B., Edwards, N. M., & Goodman, M. J. (2006). Influenza vaccination: Health impact and cost effectiveness among adults aged 50 to 64 and 65 and older. *American Journal of Preventive Medicine*, 31 (1), 72-79.
- Grosse, S.D., Teutsch, S.M., Haddix, A.C. (2007) Lessons from cost-effectiveness research for United States public health policy. *Annual Review of Public Health*, 28, 365-91.<sup>1</sup>
- Coberley, C., Rula, E. Y., & Pope, J. E. (2011). Effectiveness of health and wellness initiatives for seniors. *Population Health Management*, 14 (Supplement 1), S45-S50.<sup>1</sup>
- Chokshi, D. A., & Farley, T. A. (2012). The cost-effectiveness of environmental approaches to disease prevention. *New England Journal of Medicine*, 367 (4), 295-297.<sup>1</sup>

## Efficient

- Secker-Walker, R. H., Worden, J. K., Holland, R. R., Flynn, B. S., & Detsky, A. S. (1997). A mass media programme to prevent smoking among adolescents: Costs and cost effectiveness. *Tobacco Control*, 207-212.<sup>1</sup>
- Gaziano, T.A., Galea, G., Reddy. (2007) Scaling up interventions for chronic disease prevention: The evidence. *Lancet*, 370, 1939-46.<sup>1</sup>

- Asaria, P., Chisholm, D., Mathers, C., Ezzati, M., Beaglehole, R., (2007) Chronic disease prevention: Health effects and financial costs of strategies to reduce salt intake and control tobacco use. *Lancet*, 370, 2044-5.<sup>1</sup>
- Grosse, S.D., Teutsch, S.M., Haddix, A.C. (2007) Lessons from cost-effectiveness research for United States public health policy. *Annual Review of Public Health*, 28, 365-91.<sup>1</sup>
- Diehr, P., Derleth, A., Cai, L., & Newman, A. B. (2007). The effect of different public health interventions on longevity, morbidity, and years of healthy life. *BMC Public Health*, 7.
- Goldman, D. P., Zheng, Y., Girosi, F., Michaud, P.-C., Olshansky, J., Cutler, D., et al. (2009). The benefits of risk factor prevention in Americans aged 51 and older. *American Journal of Public Health*, 99 (11), 2096-2101.<sup>1</sup>
- Guo, J. Y., & Gandavarapu, S. (2010). An economic evaluation of health-promotive built environment changes. *Preventive Medicine*, S44-S49.
- Coberley, C., Rula, E. Y., & Pope, J. E. (2011). Effectiveness of health and wellness initiatives for seniors. *Population Health Management*, 14 (Supplement 1), S45-S50.<sup>1</sup>
- Rula, E. Y., Pope, J. E., & Hoffman, J. C. (2011). Potential Medicare savings through prevention and risk reduction. *Population Health Management*, 14 (Supplement 1), S35-S44.<sup>1</sup>
- Milstein, B., Homer, J., Briss, P., Burton, D., & Pechacek, T. (2011). Why behavioral And environmental interventions are needed to improve health at lower cost. *Health Affairs*, 30 (5), 823-832.<sup>1</sup>
- Nerenz, D. R., Liu, Y.-w., Williams, K. L., Tunceli, K., & Zeng, H. (2011). A simulation model approach to analysis of the business case for eliminating health care disparities. *BMC Medical Research Methodology*, 11 (31).<sup>1</sup>
- Thorpe, K. E., & Yang, Z. (2011). Enrolling people with prediabetes ages 60-64 in a proven weight loss program could save Medicare \$7 billion or more. *Health Affairs*, 30 (9), 1673-1679.<sup>1</sup>
- Xiaohui, Z., Zhang, P., Gregg, E. W., Barker, L., Hoerger, T. J., Pearson-Clarke, T., et al. (2012). A nationwide community-based lifestyle program could delay or prevent Type 2 diabetes cases and save \$5.7 billion in 25 years. *Health Affairs*, 31 (1), 50-60.<sup>1</sup>
- Chokshi, D. A., & Farley, T. A. (2012). The cost-effectiveness of environmental approaches to disease prevention. *New England Journal of Medicine*, 367 (4), 295-297.<sup>1</sup>